

## SK End Mill Holder Weldon Holder

### Brief introduction

Cnc SK50 SLB Milling End Mill Tool Holder, apply to the holder of a DIN1835-B with a solid surface of the cutting tool, high speed and high precision machining .Mechanical spindle and cutting tools and other accessories.High Precision SK shank Tool Holder ,balanced G6.3 or G2.5 For choose.

### Specifications

Material: Alloyed Steel

Max run out: <0.005mm

Taper tolerance:<AT3

Surface Roughness: Ra<0.005mm

Cooling AD+B type can be made by request

When Order, please specify balancing G6.3 or G2.5

Bore diameter jumping:0.002

Surface hardness:HRC56-60

1. Process for subzero treatment and thermal aging treatment, improve the precision and stability of size
2. Surface do coating processing, improve the surface hardness, wear resistance, improve the cleanliness, precision is more stable, more smooth surface, anti-rust, anti-corrosion effect is better, feel more comfortable, more beautiful appearance.


Model	d	D	L	Weight (KGS)
SK30-SLA6-50	6	25	50	0.73
SK30-SLA8-50	8	28	50	0.8
SK30-SLA10-50	10	35	50	0.9
SK30-SLA12-50	12	42	50	0.9
SK30-SLA16-63	16	48	63	1.1
SK40-SLA6-50	6	25	50	0.85
SK40-SLA8-50	8	28	50	1
SK40-SLA10-50	10	35	50	1.1
SK40-SLA12-50	12	42	50	1.3
SK40-SLA16-63	16	48	63	1.4
SK40-SLA20-63	20	52	63	1.5
SK40-SLA25-100	25	65	100	2.4
SK40-SLA32-100	32	72	100	2.7

SK50-SLA6-63	6	25	63	3.1
SK50-SLA8-63	8	28	63	3.1
SK50-SLA10-63	10	35	63	3.3
SK50-SLA12-63	12	42	63	3.5
SK50-SLA16-63	16	48	63	3.45
SK50-SLA20-63	20	52	63	3.5
SK50-SLA25-80	25	65	80	4.2
SK50-SLA32-100	32	72	100	5
SK50-SLA40-100	40	90	100	5.6
SK50-SLA50-125	50	100	125	5.7

**Products advantages:**

1. Simple and convenient design, high precision
2. Special alloy steel, high efficiency
3. For the clamping of tool with sidelock

BT, SK SLA Side Lock End Mill Tool Holder



Model NO.	d	D	L
SK40-SLB06-50	6	25	50
SK40-SLB08-50	8	28	50
SK40-SLB10-50	10	35	50
SK40-SLB12-50	12	42	50
SK40-SLB14-50	14	44	50
SK40-SLB16-63	16	48	63
SK40-SLB18-63	18	50	63
SK40-SLB20-63	20	52	63
SK40-SLB25-100	25	65	100
SK50-SLB06-63	6	25	63
SK50-SLB08-63	8	28	63
SK50-SLB10-63	10	35	63
SK50-SLB12-63	12	42	63
SK50-SLB14-63	14	44	63
SK50-SLB16-63	16	48	63
SK50-SLB18-63	18	50	63
SK50-SLB20-63	20	52	63
SK50-SLB25-80	25	65	80
SK50-SLB32-100	32	72	100
SK50-SLB40-100	40	80	100